

Contents

Beds by Department 2002 - 2006	Table 9.26, page 67	2006 - 2002
Bed Utilization 2006	Table 9.27, page 68	2006
Admissions and Discharges by Department, Sex and Days of the Week 2006	Table 9.28, page 69	2006
Admissions and Discharges by Days of the Week 2006	Figure 9.7, page 70	2006
Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2006	Table 9.29, page 71	2006 ()
Discharges (Alive and Dead) by Region, Nationality and Sex 2006	Table 9.30, page 72	2006 ()
Discharges (Alive and Dead) by Marital Status, Nationality and Sex 2006	Table 9.31, page 73	2006 ()
Discharges (Alive and Dead) by Nationality and Sex 2006	Table 9.32, page 74	2006 ()
Discharges by Discharge Status and Nationality 2006	Table 9.33, page 75	2006
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2006	Table 9.34, page 76	2006
Discharges by The Ten Leading Diagnoses 2006	Figure 9.8, page 80	2006
Out-Patient Visits by Clinic, Nationality and Sex 2006	Table 9.35, page 81	2006

المحتويات

Table 9.26
2006 - 2002
Beds by Department 2002 - 2006

<i>Department</i>	<i>2006</i>	<i>2005</i>	<i>2004</i>	<i>2003</i>	<i>2002</i>
Psychiatric	63	63	63	63	72
Child and Adolescent	12	12	12	12	12
Drug and Alcohol	26	16	16	13	13
Psycho-Geriatric	31	31	31	37	27
Mental Retardation	43	43	43	39	42
Long Term Rehabilitation	39	39	39	37	35
Total	214	204	204	201	201

Table 9.27
2006
Bed Utilization 2006


<i>Grand Total</i>	<i>Long Term Rehabilitation</i>	<i>Total</i>	<i>Mental Retardation</i>	<i>Psycho-Geriatric</i>	<i>Drug & Alcohol</i>	<i>Child & Adolescent</i>	<i>Psychiatric</i>	<i>Description</i>
1,195	-	1,195	47	113	256	65	714	Total admissions
1,184	1	1,183	52	145	252	71	663	Total discharges
214	39	175	43	31	26	12	63	No. of beds
78,110	14,235	63,875	15,695	11,315	9,490	4,380	22,995	Bed days available
85,036	3,514	81,522	17,303	15,363	7,343	3,217	38,296	Patient-days overnight
34	-	34	1	3	1	3	26	> Patient days < 1 day
85,070	3,514	81,556	17,304	15,366	7,344	3,220	38,322	Total Patient days
108.9	24.7	127.7	110.3	135.8	77.4	73.5	166.7	Bed occupancy rate
5.5	-	6.8	1.2	4.7	9.7	5.9	10.5	Turnover rate
-5.9	10,721.0	-14.9	-30.9	-27.9	8.5	16.3	-23.1	* Turnover interval *
3.3	-	3.3	0.1	0.3	0.7	0.2	2.0	Average daily admission
3.2	-	3.2	0.1	0.4	0.7	0.2	1.8	Average daily discharge
71.8	3,514.0	68.9	332.8	106.0	29.1	45.4	57.8	Average length of stay

* Turnover Interval: Negative sign indicate that the concerned department is utilising more beds than allocated .

جدول 9.28
الدخول والخروج حسب القسم والنوع وأيام الأسبوع 2006
Admissions and Discharges by Department, Sex and Days of the Week 2006

Total		Fri		Thurs		Wed		Tues		Mon		Sun		Sat		Sex	Department
Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.		
385	406	11	36	33	50	78	59	48	73	55	64	87	62	73	62	Male	Psychiatric
278	308	10	31	17	33	86	55	72	57	23	41	31	48	39	43	Female	
52	49	1	-	11	2	15	7	19	4	1	7	3	15	2	14	Male	Child & Adolescent
19	16	-	-	2	1	11	1	5	5	-	2	-	1	1	6	Female	
248	252	17	3	40	22	67	42	24	42	21	43	55	50	24	50	Male	Drug & Alcohol
4	4	-	-	-	-	-	1	-	1	2	1	1	-	1	1	Female	
78	68	-	6	3	6	7	11	16	10	20	16	26	14	6	5	Male	Psychogeriatric
67	45	2	4	1	-	37	8	6	6	4	11	13	8	4	8	Female	
36	30	1	1	1	2	6	5	7	4	9	9	10	5	2	4	Male	Mental Retardation
16	17	1	-	-	2	4	-	2	2	2	4	5	6	2	3	Female	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Male	Long Term Rehabilitation
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	Female	
799	805	30	46	88	82	173	124	114	133	106	139	181	146	107	135	Male	Total
385	390	14	35	20	36	138	65	85	71	31	59	50	63	47	61	Female	
1,184	1,195	44	81	108	118	311	189	199	204	137	198	231	209	154	196	Total	

Figure 9.7
2006
Admissions and Discharges By Days of the Week 2006



Reference: Table 9.28

9.28 :

Table 9.29
2006 ()
Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2006

<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>				() <i>Age Groups(Years)</i>
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>		
65	15	50	11	1	10	54	14	40	Alive	1-9
-	-	-	-	-	-	-	-	-	Dead	
78	21	57	2	2	-	76	19	57	Alive	10 - 19
-	-	-	-	-	-	-	-	-	Dead	
290	93	197	81	39	42	209	54	155	Alive	20 - 29
-	-	-	-	-	-	-	-	-	Dead	
301	92	209	79	38	41	222	54	168	Alive	30 - 39
1	-	1	-	-	-	1	-	1	Dead	
251	78	173	27	10	17	224	68	156	Alive	40 - 49
1	-	1	1	-	1	-	-	-	Dead	
112	55	57	12	3	9	100	52	48	Alive	50 - 59
-	-	-	-	-	-	-	-	-	Dead	
42	22	20	1	-	1	41	22	19	Alive	60 - 69
-	-	-	-	-	-	-	-	-	Dead	
43	9	34	2	1	1	41	8	33	Alive	70 +
-	-	-	-	-	-	-	-	-	Dead	
1,182	385	797	215	94	121	967	291	676	Alive	Total
2	-	2	1	-	1	1	-	1	Dead	
1184	385	799	216	94	122	968	291	677	Total	

جدول 9.30
2006 ()
Discharges (Alive and Dead) by Region, Nationality and Sex 2006

Total						Dead						Alive						Region
Dead			Alive			Non-Bahraini			Bahraini			Non-Bahraini			Bahraini			
Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	
-	-	-	16	4	12	-	-	-	-	-	-	2	1	1	14	3	11	Hidd
2	-	2	171	55	116	-	-	1	-	-	1	25	14	11	146	41	105	Muharraq
-	-	-	237	80	157	-	-	-	-	-	-	92	42	50	145	38	107	Manama
-	-	-	125	46	79	-	-	-	-	-	-	9	5	4	116	41	75	Jidhafs
-	-	-	105	33	72	-	-	-	-	-	-	16	4	12	89	29	60	Northern
-	-	-	66	33	33	-	-	-	-	-	-	9	3	6	57	30	27	Sitra
-	-	-	85	36	49	-	-	-	-	-	-	11	5	6	74	31	43	Central
-	-	-	106	23	83	-	-	-	-	-	-	7	3	4	99	20	79	Isa Town
-	-	-	110	22	88	-	-	-	-	-	-	30	10	20	80	12	68	Riffa
-	-	-	48	23	25	-	-	-	-	-	-	4	2	2	44	21	23	Western
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Southern
-	-	-	110	29	81	-	-	-	-	-	-	8	4	4	102	25	77	Hamad Town
-	-	-	3	1	2	-	-	-	-	-	-	2	1	1	1	-	1	Undetermined
2	-	2	1,182	385	797	-	-	1	-	-	1	215	94	121	967	291	676	Total

Percent Distribution (%)

(%)

-	-	-	1.4	1.0	1.5	-	-	-	-	-	-	0.9	1.1	0.8	1.4	1.0	1.6	Hidd
100.0	-	100.0	14.5	14.3	14.6	-	-	100.0	-	-	100.0	11.6	14.9	9.1	15.1	14.1	15.5	Muharraq
-	-	-	20.1	20.8	19.7	-	-	-	-	-	-	42.8	44.7	41.3	15.0	13.1	15.8	Manama
-	-	-	10.6	11.9	9.9	-	-	-	-	-	-	4.2	5.3	3.3	12.0	14.1	11.1	Jidhafs
-	-	-	8.9	8.6	9.0	-	-	-	-	-	-	7.4	4.3	9.9	9.2	10.0	8.9	Northern
-	-	-	5.6	8.6	4.1	-	-	-	-	-	-	4.2	3.2	5.0	5.9	10.3	4.0	Sitra
-	-	-	7.2	9.4	6.1	-	-	-	-	-	-	5.1	5.3	5.0	7.7	10.7	6.4	Central
-	-	-	9.0	6.0	10.4	-	-	-	-	-	-	3.3	3.2	3.3	10.2	6.9	11.7	Isa Town
-	-	-	9.3	5.7	11.0	-	-	-	-	-	-	14.0	10.6	16.5	8.3	4.1	10.1	Riffa
-	-	-	4.1	6.0	3.1	-	-	-	-	-	-	1.9	2.1	1.7	4.6	7.2	3.4	Western
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Southern
-	-	-	9.3	7.5	10.2	-	-	-	-	-	-	3.7	4.3	3.3	10.5	8.6	11.4	Hamad Town
-	-	-	0.3	0.3	0.3	-	-	-	-	-	-	0.9	1.1	0.8	0.1	-	0.1	Undetermined

جدول 9.31 Table 9.31
 2006 ()
 Discharges (Alive and Dead) by Marital Status, Nationality and Sex 2006

<i>Total</i>						<i>Dead</i>						<i>Alive</i>						<i>Marital Status</i>
<i>Dead</i>			<i>Alive</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	
2	-	2	875	244	631	1	-	1	1	-	1	191	79	112	684	165	519	Single
-	-	-	277	124	153	-	-	-	-	-	-	21	13	8	256	111	145	Married
-	-	-	15	8	7	-	-	-	-	-	-	1	1	-	14	7	7	Widowed
-	-	-	15	9	6	-	-	-	-	-	-	2	1	1	13	8	5	Divorced
2	-	2	1,182	385	797	1	-	1	1	-	1	215	94	121	967	291	676	Total

Percent Distribution (%)

(%)

100.0	-	100.0	74.0	63.4	79.2	100.0	-	100.0	100.0	-	100.0	88.8	84.0	92.6	70.7	56.7	76.8	Single
-	-	-	23.4	32.2	19.2	-	-	-	-	-	-	9.8	13.8	6.6	26.5	38.1	21.4	Married
-	-	-	1.3	2.1	0.9	-	-	-	-	-	-	0.5	1.1	-	1.4	2.4	1.0	Widowed
-	-	-	1.3	2.3	0.8	-	-	-	-	-	-	0.9	1.1	0.8	1.3	2.7	0.7	Divorced

جدول 9.32
2006 ()
Discharges (Alive and Dead) by Nationality and Sex 2006

Nationality	Total			Dead			Alive		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
Bahraini	968	291	677	1	-	1	967	291	676
Indian	53	13	40	-	-	-	53	13	40
Pakistani	17	8	9	-	-	-	17	8	9
Other Arab	16	4	12	-	-	-	16	4	12
Bangladeshi	16	4	12	-	-	-	16	4	12
Philipino	14	13	1	-	-	-	14	13	1
Saudi Arabian	21	6	15	-	-	-	21	6	15
Iranian	22	2	20	1	-	1	21	2	19
Srilankan	7	6	1	-	-	-	7	6	1
Other Countries of Gulf Co-operation Council	7	-	7	-	-	-	7	-	7
European	1	-	1	-	-	-	1	-	1
Other Asians	15	14	1	-	-	-	15	14	1
African (non Arab)	26	24	2	-	-	-	26	24	2
American	1	-	1	-	-	-	1	-	1
Total	1,184	385	799	2	-	2	1,182	385	797

Percent Distribution (%)

(%)

Bahraini	81.8	75.6	84.7	50.0	-	50.0	81.8	75.6	84.8
Indian	4.5	3.4	5.0	-	-	-	4.5	3.4	5.0
Pakistani	1.4	2.1	1.1	-	-	-	1.4	2.1	1.1
Other Arab	1.4	1.0	1.5	-	-	-	1.4	1.0	1.5
Bangladeshi	1.4	1.0	1.5	-	-	-	1.4	1.0	1.5
Philipino	1.2	3.4	0.1	-	-	-	1.2	3.4	0.1
Saudi Arabian	1.8	1.6	1.9	-	-	-	1.8	1.6	1.9
Iranian	1.9	0.5	2.5	50.0	-	50.0	1.8	0.5	2.4
Srilankan	0.6	1.6	0.1	-	-	-	0.6	1.6	0.1
Other Countries of Gulf Co-operation Council	0.6	-	0.9	-	-	-	0.6	-	0.9
European	0.1	-	0.1	-	-	-	0.1	-	0.1
Other Asians	1.3	3.6	0.1	-	-	-	1.3	3.6	0.1
African (non Arab)	2.2	6.2	0.3	-	-	-	2.2	6.2	0.3
American	0.1	-	0.1	-	-	-	0.1	-	0.1

جدول 9.33
2006

Discharges by Discharge Status and Nationality 2006

<i>Total</i>	<i>Long Term Rehabilitation</i>	<i>Mental Retardation</i>	<i>Psycho- Geriatric</i>	<i>Drug & Alcohol</i>	<i>Child & Adolescent</i>	<i>Psychiatric</i>	<i>Nationality</i>	<i>Discharge Status</i>
854	1	48	118	180	61	446	Bah.	Routine discharge home
197	-	2.0	19	11	8	157	Non-Bah	
107	-	-	6	55	2	44	Bah	Left against medical advice
17	-	-	1.0	5	-	11	Non-Bah	
1	-	1	-	-	-	-	Bah	48 Died after 48 hours
1	-	-	-	1	-	-	Non-Bah	
6	-	1	1	-	-	4	Bah	Transferred to other hospitals
1	-	-	-	-	-	1	Non-Bah	
968	1	50	125	235	63	494	Bah	Total
216	-	2	20	17	8	169	Non-Bah	
1,184	1	52	145	252	71	663	Total	

Table 9.34
2006
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2006

<i>Male</i>						<i>Female</i>						<i>Grand Total</i>	<i>DISCH. DOC ALS</i>	<i>Principal Diagnosis</i>	<i>ICD10 Code</i>
<i>Age Groups</i>						<i>Age Groups</i>									
<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i><1 yrs</i>	<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i><1 yrs</i>				
157	12	29	114	2	-	108	5	43	60	-	-	265	DISCH	Schizophrenia	F20
8,424	1,540	1,340	5,419	125	-	18,631	98	11,530	7,003	-	-	27,055	DOC		
54	128	46	48	63	-	173	20	268	117	-	-	102	ALS		
238	-	40	198	-	-	3	-	-	3	-	-	241	DISCH	Mental and behavioural disorders due to use of opioids	F11
5,482	-	993	4,489	-	-	35	-	-	35	-	-	5,517	DOC		
23	-	25	23	-	-	12	-	-	12	-	-	23	ALS		
61	-	4	55	2	-	44	-	1	43	-	-	105	DISCH	Acute and transient psychotic disorders	F23
1,071	-	46	992	33	-	549	-	17	532	-	-	1,620	DOC		
18	-	12	18	17	-	12	-	17	12	-	-	15	ALS		
50	9	10	31	-	-	50	8	13	29	-	-	100	DISCH	() Recurrent depressive disorder	F33
1,117	320	134	663	-	-	881	61	293	527	-	-	1,998	DOC		
22	36	13	21	-	-	18	8	23	18	-	-	20	ALS		
57	1	3	38	15	-	32	-	2	26	4	-	89	DISCH	() () Mild mental retardation	F70
7,591	1,317	851	5,042	381	-	5,837	-	10	5,746	81	-	13,428	DOC		
133	1,317	284	133	25	-	182	-	5	221	20	-	151	ALS		
44	2	14	28	-	-	23	1	7	15	-	-	67	DISCH	- Manic episode	F30
1,167	46	376	745	-	-	643	20	173	450	-	-	1,810	DOC		
27	23	27	27	-	-	28	20	25	30	-	-	27	ALS		
28	2	6	20	-	-	30	4	9	17	-	-	58	DISCH	() Bipolar affective disorder	F31
782	85	239	458	-	-	929	199	217	513	-	-	1,711	DOC		
28	43	40	23	-	-	31	50	24	30	-	-	30	ALS		
28	1	11	16	-	-	20	-	3	17	-	-	48	DISCH	Depressive episode	F32
1,325	94	886	345	-	-	599	-	163	436	-	-	1,924	DOC		
47	94	81	22	-	-	30	-	54	26	-	-	40	ALS		
17	-	4	13	-	-	20	-	7	13	-	-	37	DISCH	() Schizoaffective disorders	F25
797	-	220	577	-	-	1,000	-	519	481	-	-	1,797	DOC		
47	-	55	44	-	-	50	-	74	37	-	-	49	ALS		

(Cont'd) Table 9.34 ()

2006
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2006

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
14	1	2	8	3	-	16	-	-	15	1	-	30	DISCH		F43
388	41	28	152	167	-	194	-	-	96	98	-	582	DOC	Reaction to severe stress, and adjustment disorders	
28	41	14	19	56	-	12	-	-	6	98	-	19	ALS		
17	-	2	15	-	-	5	-	-	5	-	-	22	DISCH		F60
297	-	11	286	-	-	61	-	-	61	-	-	358	DOC	Specific personality disorders	
17	-	6	19	-	-	12	-	-	12	-	-	16	ALS		
16	14	1	1	-	-	3	2	1	-	-	-	19	DISCH	()	F00
13,329	891	230	12,208	-	-	83	29	54	-	-	-	13,412	DOC	Dementia in Alzheimer's disease	
833	64	230	12,208	-	-	28	15	54	-	-	-	706	ALS		
12	-	-	-	12	-	5	-	-	-	5	-	17	DISCH	()	F81
426	-	-	-	426	-	91	-	-	-	91	-	517	DOC	Specific developmental disorders of scholastic skills	
36	-	-	-	36	-	18	-	-	-	18	-	30	ALS		
13	-	11	2	-	-	-	-	-	-	-	-	13	DISCH		F10
224	-	186	38	-	-	-	-	-	-	-	-	224	DOC	()	
17	-	17	19	-	-	-	-	-	-	-	-	17	ALS	Unspecified organic or symptomatic mental disorder	
8	-	-	1	7	-	3	-	-	-	3	-	11	DISCH		F94
185	-	-	16	169	-	106	-	-	-	106	-	291	DOC	Disorders of social functioning with onset specific to childhood and adolescence	
23	-	-	16	24	-	35	-	-	-	35	-	26	ALS		
6	3	2	1	-	-	4	-	1	3	-	-	10	DISCH	()	F22
221	107	53	61	-	-	97	-	41	56	-	-	318	DOC	Persistent delusional disorders	
37	36	27	61	-	-	24	-	41	19	-	-	32	ALS		
4	-	-	-	4	-	6	-	-	-	6	-	10	DISCH	()	F90
184	-	-	-	184	-	449	-	-	-	449	-	633	DOC	Hyperkinetic disorders	
46	-	-	-	46	-	75	-	-	-	75	-	63	ALS		
5	-	-	5	-	-	5	-	1	4	-	-	10	DISCH		T39
32	-	-	32	-	-	67	-	17	50	-	-	99	DOC	Poisoning by nonopioid analgesics, antipyretics and antirheumatics	
6	-	-	6	-	-	13	-	17	13	-	-	10	ALS		

(Cont'd) Table 9.34 ()

2006
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2006


Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
7	-	-	-	7	-	1	-	-	-	1	-	8	DISCH	Conduct disorders	F91
222	-	-	-	222	-	1	-	-	-	1	-	223	DOC		
32	-	-	-	32	-	1	-	-	-	1	-	28	ALS		
4	-	-	-	4	-	1	-	-	-	1	-	5	DISCH	() Emotional disorders with onset specific to childhood	F93
313	-	-	-	313	-	91	-	-	-	91	-	404	DOC		
78	-	-	-	78	-	91	-	-	-	91	-	81	ALS		
2	-	-	2	-	-	2	-	1	1	-	-	4	DISCH	() Obsessive-compulsive disorder	F42
49	-	-	49	-	-	12	-	1	11	-	-	61	DOC		
25	-	-	25	-	-	6	-	1	11	-	-	15	ALS		
2	1	1	-	-	-	1	1	-	-	-	-	3	DISCH	() Vascular dementia	F01
729	8	721	-	-	-	25	25	-	-	-	-	754	DOC		
365	8	721	-	-	-	25	25	-	-	-	-	251	ALS		
-	-	-	-	-	-	1	1	-	-	-	-	1	DISCH	() Dementia in other diseases classified elsewhere	F02
-	-	-	-	-	-	36	36	-	-	-	-	36	DOC		
-	-	-	-	-	-	36	36	-	-	-	-	36	ALS		
1	-	1	-	-	-	-	-	-	-	-	-	1	DISCH	() Organic amnesic syndrome, not induced by alcohol and other psychoactive substances	F04
358	-	358	-	-	-	-	-	-	-	-	-	358	DOC		
358	-	358	-	-	-	-	-	-	-	-	-	358	ALS		
-	-	-	-	-	-	1	-	-	1	-	-	1	DISCH	Mental and behavioural disorders due to use of sedatives or hypnotics	F13
-	-	-	-	-	-	9	-	-	9	-	-	9	DOC		
-	-	-	-	-	-	9	-	-	9	-	-	9	ALS		
1	-	-	1	-	-	-	-	-	-	-	-	1	DISCH	Mental and behavioural disorders due to use of other stimulants, including caffeine	F15
2	-	-	2	-	-	-	-	-	-	-	-	2	DOC		
2	-	-	2	-	-	-	-	-	-	-	-	2	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	Other anxiety disorders	F41
226	-	-	-	226	-	-	-	-	-	-	-	226	DOC		
226	-	-	-	226	-	-	-	-	-	-	-	226	ALS		

(Cont'd) Table 9.34 ()

2006
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2006

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
1	-	-	1	-	-	-	-	-	-	-	-	1	DISCH	Dissociative [conversion] disorders	F44
295	-	-	295	-	-	-	-	-	-	-	-	295	DOC		
295	-	-	295	-	-	-	-	-	-	-	-	295	ALS		
-	-	-	-	-	-	1	-	-	1	-	-	1	DISCH	Abuse of non-dependence-producing substances	F55
-	-	-	-	-	-	15	-	-	15	-	-	15	DOC		
-	-	-	-	-	-	15	-	-	15	-	-	15	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	وظيفية (فسيولوجية) أو عوامل بدنية (جسدية) Unspecified behavioural syndromes associated with physiological disturbances and physical factors	F59
10	-	-	-	10	-	-	-	-	-	-	-	10	DOC		
10	-	-	-	10	-	-	-	-	-	-	-	10	ALS		
1	-	-	1	-	-	-	-	-	-	-	-	1	DISCH	Disorders of sexual preference	F65
49	-	-	49	-	-	-	-	-	-	-	-	49	DOC		
49	-	-	49	-	-	-	-	-	-	-	-	49	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	() Specific developmental disorders of speech and language	F80
2	-	-	-	2	-	-	-	-	-	-	-	2	DOC		
2	-	-	-	2	-	-	-	-	-	-	-	2	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	Pervasive developmental disorders	F84
1	-	-	-	1	-	-	-	-	-	-	-	1	DOC		
1	-	-	-	1	-	-	-	-	-	-	-	1	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	Mental disorder, not otherwise specified	F99
6	-	-	-	6	-	-	-	-	-	-	-	6	DOC		
6	-	-	-	6	-	-	-	-	-	-	-	6	ALS		
799	46	141	551	61	-	385	22	89	253	21	-	1,184	DISCH	Total	
45,304	4,449	6,672	31,918	2,265	-	30,441	468	13,035	16,021	917	-	75,745	DOC		
57	97	47	58	37	-	79	21	146	63	44	-	64	ALS		

Figure 9.8 رسم بياني
 الخروج حسب أعلى عشرة تشخيصات رئيسية 2006
Discharges by The Ten Leading Diagnosis 2006



Reference: Table 9.34

مرجع: جدول 9.34

Table 9.35
2006
Out-Patient Visits by Clinic, Nationality and Sex 2006

<i>Clinic</i>	<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>		
	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>
Emergency	410	186	224	28	11	17	382	175	207
Drug & Alcohol	8,051	61	7,990	465	9	456	7,586	52	7,534
Anxiety	1,378	877	501	78	62	16	1,300	815	485
Child and Adolescent	1,571	581	990	145	27	118	1,426	554	872
Community	6,044	3,327	2,717	125	107	18	5,919	3,220	2,699
Day Case	2,610	979	1,631	76	75	1	2,534	904	1,630
Geriatric	1,171	701	470	51	36	15	1,120	665	455
Liason	1,093	615	478	219	115	104	874	500	374
Mental Retardation	677	303	374	16	5	11	661	298	363
General	14,760	6,813	7,947	1,283	629	654	13,477	6,184	7,293
Clinical Psychology	-	-	-	-	-	-	-	-	-
Forensic - Psychiatric	477	3	474	64	2	62	413	1	412
Total	38,242	14,446	23,796	2,550	1,078	745	35,692	13,368	22,324